



minipack®
THE ORIGINAL PIONEER

MINIFLOW 380

Completely electric small flow wrapping machine

Packaging machine flowpack



DESCRIPTION

The **Miniflow 380** is the new completely electric “Flow-Pack” packaging machine by Minipack-Torre.

Designed to simplify as much as possible maintenance and cleaning operations for the customer.

"Mini" stands for "Minipack", but it also recalls its dimensions: in fact, it is a **small flow wrapping machine**, compact and versatile.

Thanks to the **3 highly performant Brushless motors** and its **7” Touch-Screen panel**, this mini flow wrapper will guarantee

minipack®-torre S.p.A.

Sede legale - Via Provinciale, 54 - 24044 DALMINE (BG) Italy

P.IVA - C.F.: 01633550163 - Capitale sociale 619.200,00 i.v. - Reg. Imprese di Bergamo 01633550163 - REA n. 224151

maximum versatility with format changes and therefore extreme simplicity in packaging operations.

The **Miniflow 380** flow pack machine can be equipped with numerous optional features.

Great performances in a small flow wrapping machine

Our mini flow wrap machine can package strapped product, **max 160 mm**, and can reach **80 packages per minute**. With an optimal quality/price ratio, this packaging machine is a union of quality and technology, and it guarantees a high level of reliability.

This mini flow pack machine is suitable to pack brioches, sweets, candy, chocolates, chocolate, pharmaceutical products, various small objects and **much more**.

TECHNICAL FEATURES

Power supply	V	220
Phase	ph	1
Electrical power	kW	2
Electric consumption	kWh	1.8
Hourly production	p/h (pph)	Up to 4800
Sealing Bar	mm	160
MAX product weight	g	500
MAX product height	mm	75
Max length product	mm	500
Reel Diameter MAX Dimensions	mm	350
MAX Reel Strip Dimensions	mm	380
Worktop height	mm	800/950

minipack®-torre S.p.A.

Sede legale - Via Provinciale, 54 - 24044 DALMINE (BG) Italy

P.IVA - C.F.: 01633550163 - Capitale sociale 619.200,00 i.v. - Reg. Imprese di Bergamo 01633550163 - REA n. 224151



minipack®
THE ORIGINAL PIONEER

Machine dimensions	mm	2200x800x h.1800
Machine weight	kg	320

minipack®-torre shall not be held liable for typos or printing errors in this catalogue. It also reserves the right to make changes to the specified features without prior notice. All trademarks are property of their respective owners and are hereby acknowledged.

minipack®-torre S.p.A.

Sede legale - Via Provinciale, 54 - 24044 DALMINE (BG) Italy

P.IVA - C.F.: 01633550163 - Capitale sociale 619.200,00 i.v. - Reg. Imprese di Bergamo 01633550163 - REA n. 224151